

# **DEQ - Distressed Sites Project Site Data Sheet**

**GENERAL**

Site name AMELIA COUNTY LANDFILL Solid waste permit number #139  
 Street address/local SR 1016 - CROWDER STREET  
 County/City AMELIA Town/Community AMELIA  
 Within corporate limits: Yes ☐ No ☒

**SITE SPECIFICATIONS**

Total acreage 10.27 Acreage suitable for use 9.27 Acreage restricted from use/disturbance 1 AC  
 Zoning classification M-1 INDUSTRIAL Comprehensive plan designation INDUSTRIAL  
 Zoning restrictions: NONE

Paved areas on-site? Yes ☐ No ☒ Size of paved areas \_\_\_\_\_  
 Existing structures on-site? Yes ☒ No ☐ Type of structure ANIMAL CONTROL FACILITY

**ENVIRONMENTAL FEATURES**

Terrain: Ground cover: Cleared 75 % Wooded 25 % Crop \_\_\_\_\_ %  
 Slope: Level ☐ Gently rolling ☒ Hilly ☐ Rock outcroppings ☐  
 Percentage of site in 100 year flood plain 0 % Soil borings available: Yes ☐ No ☒  
 U.S. Army Corps Certified Wetlands study available: Yes ☐ No ☒ Date certified: \_\_\_\_\_  
 Phase 1 Environmental audit available: Yes ☐ No ☒ Brownfield: Yes ☒ No ☐

Archaeological assessment: Yes ☐ No ☒  
 Storm water management plan: Yes ☐ No ☒ Rare & endangered species management plan: Yes ☐ No ☒

Solid waste management practice(s) that have previously occurred at the site:

**Treatment/Storage:** Compositing ☐ Transfer Station ☐ Materials Recovery ☐

Energy Recovery/Incineration ☒ Surface Impoundment(s)/Lagoon(s) ☐

Waste Pile(s) ☐ Remediation Unit ☐ Landfill Mining ☐ Miscellaneous Unit ☐

**Disposal:** Sanitary Landfill ☒ Construction/Demolition/Debris Landfill ☐ Industrial Landfill ☐

Permit number(s) under which above activities occurred (see general info above): #139

Has solid waste been landfilled or disposed of on-site? Yes ☒ No ☐ If YES, complete remainder of this section

Survey plat available indicating location/dimension of landfill disposal area(s)? Yes ☐ No ☒

Survey plat include and identify monitoring well locations by number? Yes ☐ No ☒

Survey plat include prominently displayed note stating future obligation to restrict disturbance of site? Yes ☐ No ☒

Deed notification notifying potential user that land used to manage solid waste and use restricted? Yes ☐ No ☒

Total acreage restricted from use/disturbance due to waste disposal & associated monitoring/maintenance 1 AC

Other non-disposal features on-site that can not be disturbed? Yes ☒ No ☐ If YES, check appropriate features:

Run-on/off control system: Ditching ☐ Sediment traps/ponds ☐

Monitoring system: Groundwater wells ☐ Decomposition (methane) gas wells ☐

Remediation system: Groundwater ☐ Decomposition (methane) gas ☐

Indication of groundwater quality impacts at site due to waste management/disposal? Yes ☐ No ☒

Methane gas detected at the site? Yes ☐ No ☒ Methane levels being controlled? Yes ☐ No ☒

**UTILITIES**Electric Power

Name of supplier Dominion Power On site: Yes ☒ No ☐  
Distance to distribution line \_\_\_\_\_ ft. Voltage \_\_\_\_\_ Phase \_\_\_\_\_

Natural Gas

Name of supplier N/A On Site: Yes ☐ No ☐  
Distance from site \_\_\_\_\_ ft. Line size \_\_\_\_\_ in. Pressure \_\_\_\_\_

Water

Name of public service provider AMELIA COUNTY  
Served by public water? Yes ☐ No ☒ Distance from site 3,000 ft. Line size 12 in.  
Are wells on site? Yes ☒ No ☐ Name of treatment facility AMELIA COUNTY

Surface Water

Name of source \_\_\_\_\_ Capacity \_\_\_\_\_ gpd

Waste Water Treatment

Name of public service provider AMELIA COUNTY  
Served by public sewer? Yes ☐ No ☒ Distance from site 3,000 ft. Line size 12 in.  
Septic systems practical? Yes ☒ No ☐ Receiving stream on or adjacent to site? Yes ☐ No ☐

Telecommunications

Name of supplier TDS Telecom Digital switching: Yes ☐ No ☐  
ISDN: Yes ☐ No ☐ Fiber optic lines on site? Yes ☐ No ☐ Distance to fiber optic lines \_\_\_\_\_ ft.  
Other (e.g., POPs, SMDS, Controx) \_\_\_\_\_

**SUPPORTING INFORMATION**

Plat/Survey: Yes ☐ No ☒ Site/Master Plan: Yes ☐ No ☒ Photos: Yes ☒ No ☐

**TRANSPORTATION**Railroad

Rail access? Yes ☐ No ☒ Name of railroad \_\_\_\_\_  
Type of line \_\_\_\_\_ Can rail siding be installed? Yes ☐ No ☐ Distance from site \_\_\_\_\_ ft.

Highway

Distance to nearest Interstate interchange 25 mi. Interstate name I-95  
Interchange name 288 Exit number \_\_\_\_\_  
Distance to nearest 4-lane arterial 1.5 mi. Name and route number 360  
Name and route number of highway or street serving site CROWDER STREET - SR 1016  
Industrial access road needed? Yes ☐ No ☒ Will owner dedicate right-of-way? Yes ☐ No ☐

Public Transportation

Name of service provider \_\_\_\_\_

Air

Distance to nearest commercial airport 22 mi. Name CHESTERFIELD AIRPORT  
Distance to nearest general aviation airport 40 mi. Name RICHMOND INTERNATIONAL AIRPORT  
Runway length of general aviation airport \_\_\_\_\_ ft.

Water

Name of navigable waterway \_\_\_\_\_  
Depth of channel \_\_\_\_\_ ft.

**OWNERSHIP**Ownership: Private ☐ Public (or under option by public body) ☒Owner AMELIA COUNTYPhone 804.561.3039Principal contact PHILIP VANNOORBEECKPhone 804.561.3039Address P.O. BOX AFax 804.561.6039AMELIA, VA 23002E-mail AMELIA.COUNTY@ADMIN.CTDS.NETInformation submitted by RAY YORKDate 11/22/04Authorizing Signature [Signature]

To be included in our web accessible database.

A vicinity map or topographic map showing the boundaries of the site should be available for review by potential users. A tax map may be a useful substitute. A certified survey and site plan, including size and location of water, sewer, gas, and electrical lines, and a color photograph of the site should also be available for review by potential users. Digital photos are recommended to assist potential users with their review. This form must be signed by authorized personnel prior to posting information on web accessible database. This signed form should be returned to Shawn Davis at:

**VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY**

P. O. Box 10008  
Richmond, Virginia 23240-0008  
Phone: (804) 898-4471  
Fax: (804) 898-4327  
Email: sdavis@deq.virginia.gov